

# L18S801

# WOOFER

### **DESCRIPTION**

The L18S801 is the RCF classical high efficiency 18" woofer.

A perfect blend of voice coil length, moving mass weight and suspensions control makes this transducer the preferred solution for many speakers and rental companies. Voice coil construction, suspension and cone materials are upgrade in order to withstand up to 700 watt RMS power.



### **FEATURES**

- 4-inch, fiberglass inside/outside copper voice coil
- 1400W continuous program power handling
- 99.5 dB Sensitivity
- 38 Hz 1 kHz Frequency range
- Dual spider design with silicon based dampening control
- M-roll surround and exponential cone geometry



#### **TECHNICAL SPECIFICATIONS**

General specifications	Nominal Diameter:	18 inch / 457 mm
------------------------	-------------------	------------------

Rated Impedance: 8 ohm
Program Power (watt): 1400 W
Power handling capacity: 700 W
Sensitivity: 99 dB

Frequency range: 38 - 1000 Hz

Effective piston diameter: 380 mm / 14.96 inch
Max. Excursion Before Damage: 40 mm / 1.57 inch

Minimum Impedance (ohm): 6 ohm

Voice Coil Diameter: 4.0 inch / 102 mm

Voice Coil Material: Copper

Voice Coil Winding Material: 19 mm / 0.75 inch

Number of layers: 2

Kind of layers: inside/outside

Top Plate Thickness: 10 mm / 0.39 inch

Cone Design: Curved
Surround Material: Polycotton
Surround Design: M-roll
Magnets: Ceramic
Dual-force air ventilation: Yes

Spider: Dual with silicon based damping control

4.90 ohm

# **Thiele - small parameters** Resonance frequency (Fs): 39 Hz

DC resistance (Re) (ohm):

Mechanical factor: 8.30 Qms Electrical factor: 0.30 Qes Total factor: 0.29 Qts BI factor (BI) (T x m): 24.50 T x m Effective moving mass (Mms): 148 gr Equivalent Cas air loaded (Vas): 206 liters Effettive piston area (Sd): 0.11 m2 Max. linear excursion (Xmax): 7 mm Voice coil inductance @ 1kHz (Le1k): 1.70 mH Half-space efficency (Eff): 3.93%

**Mounting informations** Overall diameter: 460 mm / 18.11 inches

Bolt circle diameter: 438 mm / 17.24 inch
Bolt hole diameter: 8 mm / 0.31 inch
Front mount baffle cut-out: 416 mm / 16.38 inch
Rear mount baffle cut-out: 418 mm / 16.46 inch
Volume occupied by the driver: 6.5 liters / 0.26 ft3

**Standard compliance** CE marking: Yes

# DATASHEET



 Size
 Height:
 202 mm / 7.95 inches

 Diameter:
 460 mm / 18.11 inches

 Weight:
 12 kg / 26.46 lbs

 Shipping informations
 Package Height:
 240 mm / 9.45 inches

Package Width: 510 mm / 20.08 inches
Package Depth: 480 mm / 18.9 inches
Package Weight: 14 kg / 30.86 lbs

## **PART NUMBER**

· 11100047

L18S801 8ohm









