



COLORband H9 ILS

Feature-packed, flexible and fun describes COLORband H9 ILS, a full-sized hex-color LED strip light that functions as chase effect, blinder, or wall washer with 3 zones of control to create amazing chase effects. Generate a broad spectrum of colors and achieve natural-looking color temperatures with 6-in-1 LED technology. Among the powerful features onboard is ILS compatibility with the cutting edge Integrated Lighting System (ILS) that makes creating coordinated light shows across different fixture types easy. But control options don't stop there. COLORband H9 ILS also has D-Fi USB compatibility for wireless Master/Slave or DMX control and a built-in RF receiver compatible with the optional RFC and RFC-XL remotes. Of course, COLORband H9 ILS has convenient access to multiple prebuilt programs with or without DMX and is ideal for quiet applications due to silent operation and no moving parts.



Highlights

- Full-size hex-color LED strip light functions as chase effect, blinder, or wall washer
- Built-in RF receiver compatible with the optional RFC and RFC-XL remotes
- ILS compatibility for use in the ILS ecosystem
- D-Fi USB compatibility for wireless Master/Slave or DMX control
- Generate a broad spectrum of colors and achieve natural-looking color temperatures with 6-in-1 LED technology
- 3 zones of control create amazing chase effects
- Convenient access to multiple prebuilt programs with or without DMX
- Includes multiple DMX personalities for a wide variety of programming styles
- Ideal for quiet applications due to silent operation and no moving parts
- Easily transports in the optional CHS-60 VIP gear bag

Spezifikationen

- DMX-Kanäle: 6, 9, 11, 18, 23
- DMX-Anschlüsse: 3- and 5-pin XLR
- Lichtquelle: 9 LEDs (Hex-color RGBWA+UV 10W (1.09A 50,000 hours life expectancy)
- Strobe-Rate: 0 to 16 Hz
- Abstrahlwinkel: 23°
- Feldwinkel: 41°
- Beleuchtungsstärke: 3,529 lux @ 2 m
- Power Linking: 12 units @ 120 V; 21 units @ 230 V
- Eingangsspannung: 100 to 240 VAC, 50/60 Hz (auto-ranging)
- Leistung und Strom: 80 W, 1.1 A @ 120 V, 60 Hz
79 W, 0.6 A @ 230 V, 50 Hz
- Gewicht: 7.2 lbs (3.3 kg)
- Größe: 39.4 x 2.2 x 6.8 in (1000 x 56 x 172 mm)
- Zulassungen: CE, UKCA, RoHS, MET
- Optional Controllers: RFC, RFC-XL, D-Fi USB

Im Lieferumfang enthalten

- COLORband H9 ILS
- Power cord
- Hanging bracket
- Quick Reference Guide